SECTION

8

TV EQUIPMENT - *Product Group - 900)*

Winegard Antenna & Spares	166 - 167
Foldaway Antenna & Accessories	167 - 168
Happy Wanderer Antenna & Spares	168 - 169
Reversing Cameras	169
Sphere Crystal LEDS	170
Mounting Arms & Speakers	170 - 172
Alden Automated Satellite System & FAQ'S	173
Receivers	174 - 175

WATER HEATERS - *Product Group - 950)*

Suburban HWS Range	176 - 182
Dometic HWS Range	182

WINEGARD RVH 3095 SENSAR RV TV ANTENNA W/ POWER SUPPLY

900-00010
The Sensar RV-3095 antenna has a built in amplifier and unique circuitry that gives you clear VHF/ UHF reception wherever you park your RV. Easy to install, and is bidirectional and corrosion resistant. Digital ready when combined with digital off-air tuner or HD digital television.

900-00014
Winegard antenna same features as RV3095 supplied in bulk pack (Sold in packs of 4). Digital ready when combined with digital off-air tuner or HD digital television. Full range of spare parts availablefrom any Coast branch

WINEGARD "ROADSTAR" ANTENNA

900-00020
Winegard Omni directionalantenna, 12v amplified supplied in display box

WINEGARD SENSAR HV ANTENNA

900-00050
Winegard Sensar HV Antenna (OEM) - A new & innovative antenna that receives both horizontal & vertical digital signals allowing for reception of more channels. It features two independently amplified antennas to deliver maximum digital VHF/ UHF programming. Made in the USA, this bidirectional antenna receives analogue as well as standard & HD digital signals & has been designed to fit rooves from 2.5cm – 12cm thick. The OEM pack contains x4 Sensar HV Antenna kits which include: antennas mounted on the reliable crank-up lift turret assembly, a white on/ off power supply switch, hardware, 6.1mt coax cable & a 139.7cm coax cable. C-tick certified. The Winegard Sensar HV comes with a 1 year limited warranty, covered by Coast.

Specifications:
Range: 144Km
Operating Voltage: 12V DC
Operating Dimensions: 43.2W x 116H (cm)
Stowed Dimensions: 125.3L x 11.2H (cm)
Weight: 3.13Kg

900-00060
Winegard Sensar HV Antenna (Single) Box - Has all the same features as the OEM pack (i.e. comes with complete antenna/ lift assembly, white on/ off wall plate & power supply switch, coax cables & mounting hardware) except that it is sold singularly.

900-00070
Winegard Sensar HV Antenna Retrofit Kit (With Head & Mast)- This allows you to replace the amplified head on an existing Winegard antenna with the Sensar HV bidirectional head.* It can also be used to replace the heads on Antennatek antennas as the old elevating gear can be used.
**Please check the roof clearance prior to purchasing the Sensar HV Retrofit Kit (refer to diagram, showing minimum roof top space required)*



WINEGARD WHITE 2ND TV WALL PLATE ONLY

900-00364
A convenient TV outlet with 75ohm coax cable input & output. It has a (+) 12V DC receptacle & flush mounts in a standard electrical box (or use plaster straps included).

WINEGARD SENSAR PRO

900-00372
Designed, built and hand tested in the USA, the Sensar Pro allows you to find the highest signal strength and thus watch TV. It has an adjustable amplifier which provides up to 10dB for increased performance if needed.
Dimensions (cm): 11.4H x 7W x 1.9D
Weight (gr): 81.6
Cables/Outputs included: Antenna IN, Cable IN, TV1 OUT and TV2 OUT

WINEGARD DIRECTIONAL HANDLE EXTENSION

900-00400
Used to extend the directional handle on leisure vehicles with a thicker roof. Roof thickness in excess of 4.75" (120.65mm) and up to 7" (177.8mm) would require an extension.
(The handle and extension should be glued together after checking that you have the correct handle. The handle will not work properly if it is not glued together.)

WINEGARD WINGMAN

900-00410
This lightweight attachment (suitable for Winegard antennae only) attaches to the Sensar head & increases the digital UHF reception by up to 100%. Available in white, it acts as a digital booster. There are no wires to connect & no tools required for installation.

The Wingman allows you to improve your Winegard Sensar's performance, enabling you to enjoy more free-to-air HD channels as it is optimised for digital & HD programming. The elements are powder coated to protect against the elements & rust. Note: The Wingman helps with UHF channels only & must be installed facing forward.
Dimensions: 419.1W x 355.6D x 35.6H (mm)
Weight: 0.45Kg

SENSAR HV SPARE PARTS

WINEGARD SPARES



FOLD AWAY ANTENNA

900-02350
Foldaway standard caravan TV antenna. Digital ready when combined with digital TV and set top box. (with 4mt of cable)

900-02352
Foldaway large caravan TV antenna. Digital ready when combined with digital off-air tuner and HD television. (with 6mt of cable)



900-02370
Foldaway Antenna 240V Amplifier – Designed for installation where the picture quality to one outlet is unacceptable. The head unit can go inside/ outside the mast. The Masthead amplifier is optimised for digital & analogue reception & provides up to 34dB gain.

900-02372
Foldaway Antenna 12V Signal Booster

FOLD AWAY DIRECT CONNECTOR

900-02374

Enables the antenna to be plugged directly into your TV, thus ending corroded/ dusty and worn out connections. It is simple to use and stops signal-sapping joins which result in signal drop outs.

HAPPY WANDERER ANTENNAS

900-02382

Multi Fit Bracket & Mast - Attaches to the DX Active 1 antenna head for permanent or non-permanent installation onto your RV. The permanent fit option fits all types of RV's including pop tops, full height vans, motor homes, slide ons & campers. The non-permanent fit option fits pop top vans & campers with side roof travel clamps fitted. This option uses these clamps when the roof is lifted up.

900-02384

Extension Mast (0.7mt) & Coupling - Used in conjunction with part #900-02382, the extension mast is available for campervans with high lifting rooves.

HAPPY WANDERER THRU-VAN-WALL COAX CABLE CONNECTION

900-02388

A waterproof solution to trailing antenna cables around your RV. Has a strong signal and is suitable for digital set top boxes.

HAPPY WANDERER UHF/VHF/DIGITAL SIGNAL FINDER

900-02395

Designed for caravans, motorhomes & boats, the Worldwide Signal Finder is ideal for people on the move. It is simple to use & is compatible with digital or analogue signals on either VHF/ UHF frequencies. Plug it into your existing aerial system in your RV & within minutes, the handheld Signal Finder will show which direction is best to point your aerial towards. Designed & manufactured in the UK, it comes with a 3 year manufacturer's warranty.

DIGITAL-8 ANTENNA

900-02402

Happy Wanderer's new DT8 antenna has a swing head adaptor enabling it to swing from horizontal to a vertical position. It comes with a Thru-Van-Wall kit, as well as cabling. The DT8 antenna fits Happy Wanderers' current brackets and masts making it quick and easy to erect or dismantle. Manufactured from UPVC plastic, it receives HD digital horizontal and vertical signals. It has a "dual loop" design which gives a consistent high gain, meaning a superior performance over a long distance even in country locations.

SIGNAL BOOSTER & POWER PACK (240V/ 12V COMBINATION)

900-02408
Similar to 900-02404 except that it also has a 12V signal booster. It is also a masthead type booster for use inside your RV. A 12V cable is included for use with a 12V power supply and the booster can be bypassed if it is not required. VHF max 15dB and UHF max 24Db gain.

EASY-TUNE

900-02410
Easy-Tune is a combined signal finder & amplifier booster. Plug your antenna into the Easy-Tune & use it to show which direction the strongest signal is coming from. Then using the handy LED indicators, the amplifier gain can be adjusted to fine tune your TV. The Easy-Tune can be permanently fixed inside your RV (perhaps inside a storage compartment). It is designed to show the presence & signal of digital or analogue TV signals & is also able to boost the received signal & distribute it to 2 outlets. Note: you should never connect 240V AC (mains voltage) directly to the Easy-Tune.
Operating Voltage: 10.5 – 28V DC, 250mA max
Outlets: 2
Variable Gain: 5 – 19dB
Dimensions: 16.5W x 5.5D x 2.7H (cm)
Weight: 125Gr

TELESCOPIC CLAMP

900-02602
A frame clamp for telescopic pole

7" MOTORHOME REVERSING CAMERA SYSTEM

900-02810
Ideal for motorhomes, the package includes:

- A 7" LCD screen with sun shield to reduce glare
- An eyeball camera - fully waterproof and carries audio, video, and night vision infrared.
- A 15mt 4-pin cable - waterproof, carries audio, video & power.
- A suction mount - enables you to mount your screen onto the dashboard, connects to the windscreen or any other area that allows the cup to work

(Monitor has the capacity to accept a second video input)

5.8" CARAVAN REVERSING CAMERA SYSTEM

900-02820
Ideal for caravans and horse floats, the package includes:

- A 5.8" LCD screen with sun shield to reduce glare
- An eyeball camera – fully waterproof and carries audio, video, and night vision infrared.
- A 15mt 4-pin cable – waterproof, carries audio, video and power.
- A 7.5mt 4-pin cable - waterproof, carries audio, video and power.
- A suction mount – enables you to mount your screen onto the dashboard, connects to the windscreen or any other area that allows the cup to work

(Monitor has the capacity to accept a second video input)

SAFETY WOZA CABLE FOR CAMERA

900-02833
A 4-pin heavy duty and flexible cable providing easy connection between vehicles and trailers. Carries audio, video, power and is waterproof.

SPHERE TV

SPHERE CRYSTAL HD LED TV'S

To thoroughly enjoy a drop of fine wine, some fine crystal is required for the ultimate tasting experience. Suffice to say, that to thoroughly enjoy your TV experience, a Sphere CRYSTAL LED TV is required for the clearest picture entertainment. Sphere's new range of HD LED TV's is thinner in design and built even tougher with a reinforced metal vesa plate built into the back of the casing. They have a stylish piano black finish and a full function remote control giving a regal charm to any RV interior. Available in three sizes, the new CRYSTAL LED's are also more power efficient. The DVD player incorporated into the TV casing allows you to view your favourite DVD's or photos and the USB function allows you to record rewind or pause live TV (combined with the use of an externally powered HDD).

If you want a superior TV viewing experience the next time you're on the road, then you'll need a Sphere CRYSTAL LED TV.

Specifications:
Display Type: TFT-LED
Colour: Piano Black
Built-in Tuner: Analogue/ HD digital (MPEG4 HD Ready)
AV Stereo: Speakers are built into the back of the TV
Connectors: Cable/ Antenna Input, AV Input, S-Video Input, VGA (Audio) Input, HDMI, Component (Y Pb Pr) Input, Headphone Jack, USB Input
Power Supply: 12V DC/ 100-240V AC, 50/60Hz (External)

900-05320
18.5" Crystal HD LED TV
Resolution: 1366 x 768
Power Consumption: 25W (without DVD)
Dimensions (without stand): 292H x 462W x 52D (mm)
Weight (TV only): 3.6Kg

900-05322
21.5" Crystal HD LED TV
Resolution: 1920 x 1080
Power Consumption: 30W (without DVD)
Dimensions (without stand): 337H x 532W x 52D (mm)
Weight (TV only): 4.3Kg

900-05324
23.6" Crystal HD LED TV
Resolution: 1920 x 1080
Power Consumption: 35W (without DVD)
Dimensions (without stand): 360H x 574W x 52D (mm)
Weight (TV only): 4.9Kg

SPHERE WIRELESS HEADPHONES

900-05400
Lightweight & comfortable, the headphones are designed to give you hours of listening pleasure. It has an auto power-off function with the volume & power controls mounted on the headset. Compatible with TV's, DVD players, PC's, MP3 players & iPods. Carrier Frequency: 2.3MHz for left channel / 2.8MHz for right channel Transmitter Power Supply: 12V DC (Earphones require x2 AAA batteries)

RUBBER AM/FM ANTENNA WITH 72" CABLE

900-05770
Receives radio signals for better clarity whilst travelling. It has a 14" (35.6cm) durable rubber antenna & comes with an extension for thicker rooves. The base can swivel 180°. Cable included: 182.9cm

WALL MOUNT MONITOR BRACKET (SILVER)

900-05802
The head can be tilted in all directions and has a 360° rotation capability. Nilothane bushes allow for a smooth gliding action.

Weight Capacity: 15Kg
Mounting Monitor Holes: Vesa plate 75mm x 75mm or 100mm x 100mm
LCD Capacity: 13" - 26"

SPHERE ACCESSORIES

SINGLE ARM WALL MOUNT MONITOR BRACKET (SILVER)

900-05812

The head can be tilted in all directions and has a 360º rotation capability. Nilothane bushes allow for a smooth gliding action. The arm extends up to 280mm and features a lock to limit movement whilst travelling.

Weight Capacity: 15Kg
Mounting Monitor Holes: Vesa plate 75mm x 75mm or 100mm x 100mm
LCD Capacity: 13" - 26"

SINGLE ARM WALL MOUNT MONITOR BRACKET (BLACK)

900-05814

Same features and specifications as our silver range of arms. These black arms compliment the new Sphere *Platinum* range of TV's keeping in line with minimalist design. Comes standard with a black U-shaped lock which prevents movement whilst travel by securing the arms in the closed position. Extends up to 280mm.

Weight Capacity: 15Kg

DOUBLE ARM WALL MOUNT MONITOR BRACKET (SILVER)

900-05822

The head can be tilted in all directions and has a 360º rotation capability. Nilothane bushes allow for a smooth gliding action. The arm extends up to 430mm and features a lock to limit movement whilst travelling.

Weight Capacity: 15Kg
Mounting Monitor Holes: Vesa plate 75mm x 75mm or 100mm x 100mm
LCD Capacity: 13" - 26"

DOUBLE ARM WALL MOUNT MONITOR BRACKET (BLACK)

900-05824

Same features and specifications as our silver range of arms. These black arms compliment the new Sphere *Platinum* range of TV's keeping in line with minimalist design. Comes standard with a black U-shaped lock which prevents movement whilst travel by securing the arms in the closed position.
Extends up to 430mm.

Weight Capacity: 15kg

TRIPLE ARM WALL MOUNT MONITOR BRACKET WITH LOCK (SILVER)

900-05832



The triple arm wall mount has all the same features as the single and double arm brackets, however it has the capacity to reach op to 570mm.

Weight Capacity: 9.5Kg
Mounting Monitor holes: Vesa plate 75mm x 75mm or 100mm x 100mm
LCD Capacity: 13" – 26"

SPHERE ACCESSORIES

TRIPLE ARM WALL MOUNT MONITOR BRACKET (BLACK)

900-05834
These black arms compliment the new Sphere *Platinum* range of TV's keeping in line with minimalist design. Comes standard with a black U-shaped lock which prevents movement whilst travel by securing the arms in the closed position. Extends up to 570mm.

Weight Capacity: 9.5Kg

SPHERE WALL MOUNTING PLATE KIT

900-05842
Mount your TV direct to the wall of your RV with this kit. Comes with a vesa plate, bracket, necessary screws & leveller.
Max load weight: 15Kg

SPHERE STAINLESS STEEL MOUNTING BRACKET

900-05849
A spare mounting bracket for securing your TV to your RV wall.
Max load weight: 15Kg

5" SLIMLINE DUAL CONE SPEAKER (WHITE)

900-05852
Features: 8oz magnet, 25 watts power, 4 ohm impedance, 1 3/8" mounting depth, and one piece metal grill. Sold per pair.

5-1/4" 3-WAY SPEAKER (WHITE)

900-05854
Features: 15oz magnet, 1" Mylar midrange, 1/2" Piezo Super - Tweeter, rubber suspension, Polycarbon cone, 1" aluminium voice coil. 50 Watts RMS power handling100 Watts Max power handling.
Mounting depth: 48mm
Sold per pair.

5" DUAL CONE MARINE SPEAKER (WHITE)

900-05862
Features: 6oz magnet, 25 watts power, 4 ohm impedance, 1 5/8" mounting depth. Ideal for all outdoor uses, full plastic encasement frame and intergrated grill. UV protected, resists moisture, temperature and shock.
Diameter: 15.5cm
Sold per pair.

6-1/2" 2-WAY MARINE SPEAKER (WHITE)

900-05864
Features: 12oz magnet, 50 watts power, 4 ohm impedance, 2-1/2" mounting depth. 1" Mylar tweeter with ferrofluid, full plastic encasement frame and intergrated grill. UV protected, resists moisture, temperature and shock.
Sold per pair

CEILING MOUNT SATELLITE SPEAKER (WHITE)

900-05872
Features: Designed for a complete RV theatre System, flush mount housing. 1-1/4" depth, 40 Watt high power handling, 6 ohm impedance, speaker wire leads.
Diameter: 17cm
Sold per pair

ALDEN SATELLITE

ALDEN AUTOMATIC 12 VOLT SATELLITE SYSTEM

900-06000

Satellite TV is delivered by communication satellites as opposed to terrestrial TV which is broadcast by radio frequency. The SSC unit supplements these and hence provides a wider range of channels including subscription-only services. It is dedicated to find OPTUS D2, OPTUS C1, OPTUS D1, INTELSAT 8, OPTUS D3. The Alden satellite can be used with any existing receiver (using 10.7 GHz LO) that allows the reception of the channels from the chosen satellite and is especially designed to be used in leisure vehicles. The unit mounts onto the roof of your vehicle and features an inbuilt safety device – should you forget to lower the satellite dish, upon ignition of your vehicle, the system will shut itself down. It works in two stages namely selecting the satellite you wish to utilize and step 2 would be selecting the zone that you're in. Comes with a 1yr warranty.
Now you can have more TV choices further away from home!

Height (when folded down): 230mm
Weight: 11.8Kg
Dimensions: 980L x 745W

What advantages will the Alden Satellite System offer over the local terrestrial broadcast?

The Alden Automated System is able to receive satellite TV reception Australia wide whereas terrestrial signals are only broadcast in capital cities & major town centres. The terrestrial signal will not reach remote areas in Australia (even in parts of Sydney, the terrestrial TV signals weaken as you travel further away from the terrestrial transmitter towers).

Can I use the Alden Automated Satellite System whilst 'free camping'?

YES - all components within the system run from a 12V DC source.

If I choose to leave my current camp site, & I forgot to close the satellite dish, will it be damaged whilst I am driving & it is still in the upright position?

The Satellite Search Control Unit (SSC) has a built in safety feature. This means that when it is wired to the 12V ignition system* of the RV, the unit will automatically lower to the closed position to prevent the dish being damaged in transport.

When folded down i.e. in its closed position, how high off the roof of my RV is the system?

230mm which is lower than most of the 'low profile' air conditioners on the market.

Do I have to climb on the roof of my RV to adjust any of the Alden satellite system?

NO - if you need to change the required satellite/ zones, this can be done from inside you RV on the SSC unit; all at the touch of a button.

**This function may incur additional installation charges when fitting to your RV.*

VAST DSD 4121 SATELLITE RECEIVER WITH SMART CARD

900-06050

The Vast DSD 4121 Receiver is a high definition (HD) set top box specifically designed for the Australian Vast service. It is equipped with an HDMI interface, component video, stereo audio outputs with digital audio S/PDIF and a handy USB port. It allows viewers to receive all ABC and SBS digital channels (including those from other states.) Programming from the Seven, 9 and Ten networks are being broadcast in SD while, OneHD , 7Mate and 9GEM are available in HD. The Vast DSD 4121 is also MPEG 2/4 HD compliant, has Dolby digital audio, is subtitles capable and has an 8-day electronic program guide.

VAST DSD 4121 SATELLITE RECEIVER WITH SMART CARD (PVR)

900-06052

Similar to the Vast Receiver above but with the added bonus of being PVR ready (Personal Video Record ready). It comes with a modified remote control enabling you to record your favourite show. Your show is then recorded and stored on the HDD (which is connected to your Vast Receiver via USB) ready for viewing later. It is able to record a single channel at one time and is allows you to pause live TV. The Vast Receiver supports an externally powered HDD up to 1TB.

PIONEER 4-CHANNEL HIGH POWER DVD/VCD/CD RECEIVER

900-06505

The new Pioneer DVH-P435UB plays most audio formats & even allows watching DVD's in your car or RV (by installing a screen). It features iPod Direct connection (requires an optional cable) which lets you control your iPod through the Pioneer unit.

Max Power Output: MOSFET 50W x4
Tuner: AM/ FM Tuner (18 pre-set stations)
Plays: DVD-Video, DVD-R, DVD-RW (VR Mode), Video CD, CD, CD-R, CD-RW, MP3, WMA, AAC, Jpeg, DivX (from USB/ DVD), Your USB device via a front input, An AV source (MP3 player, video player or games console) via the front Aux-input, iPod or iPhone
Installation Type: Single DIN installation (1-DIN)
Front Panel: Removable front panel
Button Illumination: Blue
Bluetooth Ready: Adaptor VD-BTB200 required
Remote Control: Included
Direct Sub Drive: Yes
ISO Connector: Yes
Optical Digital Out: Yes
RCA Preouts: 2 (Front & Rear)
Equaliser: Bass/ Mid/ Treble
Source Level Adjuster: Yes
Supported Functions: Battery charging, List browsing, Album art, Music playback & Video playback

AXIS AX1201 CD/MP3 PLAYER RECEIVER

900-06555

The AX1201 is a multimedia player/ receiver featuring convenient front aux-in on the front panel. It also has USB and SD-MMC ports (these are found behind the front panel) so you can play what you want and how you want it! It comes with a detachable face and 2 trim plates (black and silver). Comes with a 2yr manufacturer's warranty.

General: LCD Display, Blue Illuminated Controls, 12V DC (10.8 – 15.6V) Negative Control
CD Player: Auto Load and Eject, Supports MP3/ WMA/ CD/ CDR/ CDRW Formats, Select Folder/ Track/ File Search/ Pause
Tuner: FM 87.5 – 108MHz, AM 522 – 1710KHz, 30 Station Presets (18 FM and 12 AM), Digital Clock
Multimedia: USB Input (on front panel), SD-MMC Card Port (behind front panel),AUX-IN Socket (3.5mm on front panel)
Audio Control: 2 Ch RCA Line Out (max 5V), 2 Ch RCA Line In, Subwoofer Line Out (max 4V), 40W Max Power (x4 Ch)

AXIS AX1105 DVD PLAYER RECEIVER (WITH USB/ SM-MMC)

900-06566

The latest in the Powerplay series, the AX1105 has the following features: DVD/ MP3/ WMA/ CD player, USB & SD-MMC ports, Front panel AUX-IN, Long range AM/ FM tuner, Flip down detachable face panel, ISO DIN chassis, 2 Channel RCA input, 4 Channel RCA output (4V), Subwoofer output & 4 Channel high power output. It operates on 12V DC (11 - 16V) negative ground & comes with a 2yr manufacturer's warranty.
Dimensions of Chassis (mm):178W x 50H x 158D

SUBURBAN WATER HEATERS

The Suburban HWS range all have porcelain lined, high tensile steel tanks, which are pressure tested twice assuring tank integrity and life. There are a number of gas and gas-electric models available to suit most hot water requirements while travelling. The automatic models feature direct spark ignition with a remote switch for on/off control from inside the RV. Gas consumption is also kept to a minimum, making Suburban an economical choice.

SUBURBAN MANUAL IGNITION HOT WATER SERVICE (SW6PA)

950-00010
Operates on LPG gas only with a manual ignition.

Specifications	Model – SW6PA
Capacity	22.6Lt
Max working pressure	1050Kpa
Hourly gas consumption	10.5mj/hour
Test point pressure	2.63Kpa
Jet orifice size	0.89mm
Type of heating medium	Propane Gas
Recovery	40Lt/hr 45°C rise
Electrical	(n/a as this unit operates on gas only)
Dimensions	320W x 320H x 500D (mm)



Item No:	Description:	Part No:
5	Pressure Relief Valve 3/4" Mpt For SW6PA & SW6DA	950-01121
7	T/Couple & Pilot Burner Assy (1/8" Tube) SW6PA	950-01080
9	Suburban Saddle Bracket For Main Burner	950-01252
11	Suburban Main Burner With In Built Orifice	950-01242
14	Suburban Manifold Outlet Suits SW6PA	950-01172
15	Brass Elbow Only For Tapered Inlet Unitrol	950-01090
16	Sit 0610504 Gas Control Suit Suburban HWS	950-01060
17	Suburban Anode Rod For All Suburban HWS	950-01140
18	Suburban Grommet Only Suits Gas Inlet Pipe	950-01390
21	Suburban Bushing Reducer For P/R/Valve	950-01125
24	Suburban Air Shutter Clamp For SW6PA & SW6DA HWS	950-01258

SUBURBAN DIRECT SPARK IGNITION HOT WATER SERVICE (SW6DA)

950-00020
Has a 12V ignitor and operates on LPG gas.

Specifications	Model – SW6DA
Capacity	22.6Lt
Max working pressure	1050Kpa
Hourly gas consumption	10.5mj/hour
Test point pressure	2.63Kpa
Jet orifice size	0.89mm
Type of heating medium	Propane Gas
Recovery	40Lt/hr 45°C rise
Electrical	
- For automatic gas ignitor	12Volt DC
Dimensions	320W x 320H x 500D (mm)



Item No:	Description:	Part No:
1	Suburban Small Computer Board	950-02520
3	Suburban Plastic Cover Only Suit Computer Board	950-02530
12	Pressure Relief Valve 3/4" Mpt For SW6PA & SW6DA	950-01121
15	Suburban T/Stat Cover Double Reset	950-02622
20	Suburban Mounting Bracket For Electrode Probe SW6DA	950-02539
21	Suburban Electrode Probe For SW6DA	950-02538
24	Suburban Brass Bush Adapter For P.R.V. Outlet	950-01126
26	Suburban Main Burner With In Built Orifice	950-01242
27	Suburban Air Shutter Clamp For SW6DA HWS	950-01258
29	Suburban Anode Rod For All Suburban HWS	950-01140
34	Gas Supply Elbow For Direct Spark HWS	950-02670
36	Suburban Gas Valve Suit Direct Spark	950-02632
37	Suburban Manifold Outlet	950-01172
41	Suburban T/Stat 12V DC SW6DA	950-02600
45	Suburban Grommet Only Suit Gas Inlet Pipe	950-01390
51	Suburban Switch & Plate Assy For SW6DA	950-02500
53	Suburban Saddle Bracket For Main Burner	950-01252

SUBURBAN HOT WATER HEATER 12V & 240V ELECTRIC (SW6DEA)

950-00030

Has a 12V ignitor and operates on LPG gas & 240V. User is able to control which operation is sourced by means of an internal switch for gas and an external switch for electricity.

Specifications	**Model – SW6DEA**
Capacity	22.6Lt
Max working pressure	850Kpa
Hourly gas consumption	10.5mj/hour
Test point pressure	2.63Kpa
Jet orifice size	0.89mm
Type of heating medium	Propane Gas/ 240Volt
Recovery	40Lt/hr 450C rise
Electrical	
- For auto gas ingnitor	12Volt DC
- For models with 240V heating element	240Volt – 50HZ AC
- Element rating	1440 Watts – 6 Amp
Dimensions	320W x 320H x 500D (mm)

Other SW6DEA Spare Parts Available:	
Suburban Small Computer Board	950-02520
Suburban Plastic Cover Only (to suit above computer board)	950-02530
Suburban Air Shutter Clamp	950-01258
Suburban Cover for Junction Box	950-02640
Suburban Switch and Plate Assembly	950-02500
Suburban Saddle Bracket for Main Burner	950-01252



SUBURBAN 240 VOLT ONLY HWS WITH DOOR (SW5EA)

950-00040
Operates on electricity only.

Specifications	Model – SW5EA
Capacity	17.7Lt
Max working pressure	850Kpa
Type of heating medium	240Volt
Recovery	21Lt/hr 45°C rise
Electrical	
- For models with 240V heating element	240Volt – 50HZ AC
- Element rating	1440 Watts – 6 Amp
Dimensions	320W x 320H x 450D (mm)

Item No:	Description:	Part No:
1	Pressure Relief Valve 3/4" Mpt	950-01121
2	Suburban T/Stat Cover Double Reset	950-02622
7	Suburban Brass Bush Adapter For P.R.V. Outlet	950-01126
8	Suburban Element 240V 1440w 6amp	950-02691
9	Suburban Anode Rod For All Suburban HWS.	950-01140
11	Suburban 240V Switch	950-02502
14	Suburban Thermostat 240V	950-02612
15	Suburban Cover For Junction Box	950-02640
22	Suburban Element Cover	950-02692



SUBURBAN HWS 12 VOLT & 240 VOLT WITH DOOR (SW4DEA)

950-00050

Has a 12V ignitor and operates on LPG gas and 240V. User is able to control which operation is sourced by means of an internal switch for gas and an external switch for electricity.

Specifications	**Model – SW4DEA**
Capacity	15.1Lt
Max working pressure	850Kpa
Hourly gas consumption	10.5mj/hour
Test point pressure	2.63Kpa
Jet orifice size	0.89mm
Type of heating medium	Propane Gas/ 240Volt
Recovery	40Lt/hr 45°C rise
Electrical	
- For auto gas ingnitor	12Volt DC
- For models with 240V heating element	240Volt – 50HZ AC
- Element rating	1440 Watts – 6 Amp
Dimensions	320W x 320H x 450D (mm)



SW4DEA AND SW6DEA

Item No:	Description:	Part No:
1	Suburban Small Computer Board	950-02520
3	Suburban Plastic Cover Only Suit Computer Board	950-02530
12	Pressure Relief Valve for Suburban 240V	950-01122
15	Suburban T/Stat Cover Double Reset	950-02622
20	Suburban Mounting Bracket for Electrode Probe	950-02539
21	Suburban Electrode Probe	950-02538
26	Suburban Main Burner With In Built Orifice	950-01242
27	Suburban Air Shutter Clamp	950-01258
28	Suburban Element 240V 1440W 6Amp	950-02691
29	Suburban Anode Rod for All Suburban HWS.	950-01140
33	Suburban 240V Switch	950-02502
36	Suburban Gas Valve Suit Direct Spark	950-02632
37	Suburban Manifold Outlet	950-01172
41	Suburban T/Stat 12V DC	950-02600
42	Suburban Thermostat 240V	950-02612
44	Suburban Cover For Junction Box	950-02640
45	Suburban Grommet Only Suit Gas Inlet Pipe	950-01390
51	Suburban Switch & Plate Assy	950-02500
53	Suburban Saddle Bracket For Main Burner	950-01252
59	Suburban Element Cover	950-02692

SUBURBAN WATER HEATERS

SUBURBAN ANODE ROD FOR ALL SUBURBAN HWS

950-01140

All Suburban RV Hot Water systems have an anode rod which absorbs all the corrosive action of hot water. It is located on the bottom on the HWS under the main burner; you simply unscrew this to drain the tank of water. If the rod is mostly eaten away, simply replace it with a new one. There are many anode rods available on the market so you need to take care of the length of an anode rod. The Suburban Anode Rod is made for use in the 4, 5 & 6 Gallon tanks. Please be aware that some imitation anode rods can cause damage to your Suburban HWS.

SUBURBAN EXTERIOR DOORS

Suburban exterior doors stand up to the elements and frequent use, with corrosion-resistant steel finished in a tough, high-solids baked enamel for extra chip resistance. Coast to Coast stock the standard doors which are installed without bending flanges or installing corner gussets for easy installation and a superior seal.

950-01304

SUBURBAN POLAR WHITE DOOR for SW5EA water heater.

950-01308

SUBURBAN NEW STYLE POLAR WHITE DOOR - suitable for SW6PA, SW6DA, SW6DEA and SW4DEA

SUBURBAN HOT WATER HEATER FAQS

Can I operate my water heater's electric element & gas burner at the same time?

YES - when taking advantage of available campsite or generator-produced electricity you may operate on both gas and electric for a faster recovery rate

Are all Suburban Water Heaters equipped with an Anode Rod? What is its function? When should it be changed?

YES - all Suburban water heaters feature an anode rod. The anode equalizes aggressive water action, providing cathodic protection for the tank. It is a very important factor in tank life & should only be removed for inspection, draining or replacement. It is removable using a 1-1/16" thin wall socket. Under normal use, the anode rod will deteriorate. Because of this, we recommend it be replaced bi-annually or when consumption or weight loss of the rod is greater than 75%.

Note: Water with high levels of iron &/or sulphate will increase the rate of deterioration. To extend anode life, drain water from tank whenever the RV is not being used. Avoid any extended time of non-use with water in the tank.

Why does water drip from my water heater's pressure & temperature (P&T) relief valve?

You may experience water weeping or dripping from your water heater's pressure & temperature (P&T) relief valve when your water heater is operating. Water weeping or dripping does not mean that the P&T valve is defective. As water is heated, it expands. The water system in an RV is a closed system & does not allow for the expansion of heated water. When the pressure of the water system exceeds the relieving point of the P&T valve, the valve will relieve the excess pressure.

Can I add-on an electric element to a PA/DA Model (GAS ONLY Unit)? What will happen if I use it?

NO - the use of these aftermarket heating element devices may result in damage to components or the water heater. When aftermarket heating elements are inserted into the anode rod/drain connection, tank life is shortened by accelerating inner tank corrosion. This will be a non-warrantable situation. An upgrade is required to a GAS/ELECTRIC model, for this application.

What if I operate the water heater without water in the tank?
Operation without water in the tank on the 12V DC gas portion of the water heater can cause the copolymer insulation jacket to melt & can cause the ECO/Thermostat to trip. Operation without water in the tank on the 230V AC electric portion of the water heater will damage the element.

There is a bad odour coming from the hot water faucet. How can I correct this?
Odour from the hot water system is not a service problem & many water supplies contain sufficient amounts of sulphur to produce an odour. The odour is similar to rotten eggs & is often referred to as "sulphur water." Sulphur water is not harmful - only unpleasant to smell. Sulphur water can be caused by a chemical action or by bacteria. The key to eliminating this smell is heavy chlorination of the water system. Add about six (6) ounces of chlorine (common household liquid bleach) to each 10 gallons in the water tank. Then run the heavily chlorinated water throughout the system, opening each faucet one at a time until you smell the chlorine. Let the RV sit a few days & the chlorine should take care of the problem. Then you will need to take care of the chlorine by flushing the water system. If you don't have a water filtration system that removes chlorine, you may have a problem getting rid of the chlorine taste. You might consider adding such a system because it allows you to keep water chlorinated and this prevents several problems, including sulphur water. Chlorination also takes care of other types of bacteria & viruses.

How do I drain my water heater?
Follow the steps below:
1. Turn off electrical power to the water heater either at the switch from the electric element or a breaker.
2. Shut off the gas supply to the water heater.
3. Turn off the pressure pump on the water system.
4. Open both hot & cold water faucets.
5. Remove the anode rod from the tank. (NOTE: TAKE CARE as water may be HOT when drained from the unit).
6. Follow the RV manufacturer's instructions for draining the entire water system.

CAMCO SCREW-IN ELEMENT WRENCH 5" FOR SUBURBAN HWS

950-02700
This zinc-plated element wrench goes where other wrenches can't, allowing you to remove and replace screw-in elements with ease. It works in conjunction with your screwdriver and fits all 5" regular screw-in elements and 1-1/2" nuts.

CAMCO T & P UNIVERSAL VALVE REMOVER

950-02710
Replace temperature & pressure valves faster and more safely. The Valve Remover gives you better access to the water heater housing, reducing injuries. Fits Atwood and Suburban (Mor-Flo) water heaters

TRUMA BOILER B14 HOT WATER SYSTEM

Available as either a gas or gas/electric model, the Truma Boiler features 12V remote electronic ignition & a food grade stainless steel hot water tank. It is light & operates quietly, providing heated water quickly. Easy to install & operate it comes with a 1yr Dometic warranty.
Capacity: 14Lt
Dimensions (mm): 350L x 350W x 320H
Weight (empty): 6.7Kg
Gas Consumption: 120g/hr
Electric Heating Element: 240V AC (~850W)

950-09000
Truma 14Lt Hot Water Service - Gas Only

950-09010
Truma 14Lt Hot Water Service - Gas & Electric

DOMETIC ELECTROBOILER

950-09102
An electric hot water system with high quality insulation, thus making it energy efficient thanks to its minimal heat loss. The Electroboiler comes with a 1 year manufacturer's warranty from Dometic.
Capacity: 14Lt
Weight: 3Kg (dry)
Dimensions: 405L x 405W x 295H (mm)
Water Pressure: 2.8bar (max)
Current Consumption: 3.7A (on 240V)
Warm up time: 70mins approx. (based on full tank with water starting at 15^{0}C and heating to 70^{0}C)